

Authors who contributed most to the fields of hemodialysis and peritoneal dialysis since 2011 using the hT-index

Bibliometric analysis

Hsien-Yi Wang, MD^{a,b}, Tsair-Wei Chien, MBA^c , Wei-Chih Kan, MD^{a,d}, Chen-Yu Wang, MS^e, Willy Chou, MD^{f,g,*}

Abstract

Background: The h-index does not take into account the full citation list of a researcher to evaluate individual research achievements (IRAs). As a generalization of the h-index, the hT-index takes all citations into account to evaluate IRAs. Compared to other bibliometric indices, it is unclear whether the hT-index is more closely associated with the h-index. We utilized articles published on hemodialysis and peritoneal dialysis (HD/PD) to validate the hT-index as a measure of the most significant contributions to HD/PD.

Methods: Using keywords involving HD/PD in titles, subject areas, and abstracts since 2011, we obtained 7702 abstracts and their associated metadata (e.g., citations, authors, research institutes, countries of origin). In total, 4752 first or corresponding authors with hT-indices >0 were evaluated. To present the author's IRA, the following 4 visualizations were used: radar, Sankey, impact beam plot, and choropleth map to investigate whether the hT-index was more closely associated with the h-index than other indices (e.g., g-/x-indices and author impact factors), whether the United States still dominates the majority of publications concerning PD/HD, and whether there was any difference in research features between 2 prolific authors.

Results: In HD/PD articles, we observed that (a) the hT-index was closer to and associated with the h-index; (b1) the United States (37.15), China (34.63), and Japan (28.09) had the highest hT-index; (b2) Sun Yat Sen University (Chian) earned the highest hT-index (=20.02) among research institutes; (c1) the authors with the highest hT-indices (=15.64 and 14.39, respectively) were David W Johnson (Australia) and Andrew Davenport (UK); and (c2) their research focuses on PD and HD, respectively.

Conclusion: The hT-index was demonstrated to be appropriate for assessing IRAs along with visualizations. The hT-index is recommended in future bibliometric analyses of IRAs as a complement to the h-index.

Abbreviations: AIF = author impact factor, AMD = absolute mean difference, AWS = author-weighted scheme, CC = correlation coefficient, HD/PD = hemodialysis and peritoneal dialysis, IMP = impact beam plot, IRA = individual research achievement, SMD = standardized mean deviation, SNA = social network analysis, VBA = visual basic for application, WOS = Web of Science.

Keywords: bibliometric analysis, hemodialysis, hT-index, impact beam plot, individual research achievement, peritoneal dialysis, radar plot, Sankey diagram.

1. Introduction

Bibliometrics continues to debate the issue of quality versus quantity when evaluating individual research achievements (IRAs).^[1] A number of metrics (e.g., author impact factor, AIF = citations/publications, number of citations to the top or 10th most cited publication, and number of publications with at least ten citations) have been proposed in the past.^[2]

The h-index,^[3] g-index,^[4] and x-index^[5] are other bibliometric indices that take both citations and publication counts into consideration.

1.1. Variants of the h-index proposed in the literature

A comprehensive review of the h-index and some of its variants has been provided.^[6] The h-index was also compared with

The authors have no funding and conflicts of interest to disclose.

All data are publicly available in the PubMed library. All data used in this study are available in Supplemental Digital Content.

The authors declare that they have no competing interests.

Supplemental Digital Content is available for this article.

^a Department of Sport Management, College of Leisure and Recreation Management, Chia Nan University of Pharmacy and Science, Tainan, Taiwan, ^b Nephrology Department, Chi-Mei Medical Center, Tainan, Taiwan, ^c Department of Medical Research, Chi-Mei Medical Center, Tainan, Taiwan, ^d Department of Biological Science and Technology, Chung Hwa University of Medical Technology, Tainan, Taiwan, ^e China Medical University, Taichung, Taiwan, ^f Department of Physical Medicine and Rehabilitation, Chial Chi-Mei Hospital, Tainan, Taiwan, ^g Department of Physical Medicine and Rehabilitation, Chung San Medical University Hospital, Taichung, Taiwan.

*Correspondence: Willy Chou, Chi-Mei Medical Center, 901 Chung Hwa Road, Yung Kung Dist., Tainan 710, Taiwan (e-mail: ufan0101@ms22.hinet.net).

Copyright © 2022 the Author(s). Published by Wolters Kluwer Health, Inc. This is an open-access article distributed under the terms of the Creative Commons Attribution-Non Commercial License 4.0 (CCBY-NC), where it is permissible to download, share, remix, transform, and buildup the work provided it is properly cited. The work cannot be used commercially without permission from the journal.

How to cite this article: Wang H-Y, Chien T-W, Kan W-C, Wang C-Y, Chou W. Authors who contributed most to the fields of hemodialysis and peritoneal dialysis since 2011 using the hT-index: Bibliometric analysis. *Medicine* 2022;101:38(e30375).

Received: 20 February 2022 / Received in final form: 20 July 2022 / Accepted: 21 July 2022

<http://dx.doi.org/10.1097/MD.0000000000030375>

Key points

- The novel hT-index was introduced and proposed for this bibliometric analysis of hemodialysis and peritoneal dialysis articles using visualizations.
- Radar plots with the hT-index were used to visualize the individual research achievements based on the first and corresponding authors, which is rare in bibliometric studies.
- The impact beam plot provides a new and innovative method of reporting author impact with a map showing all articles in a view of the author's profile on Google Maps. This study demonstrated the effectiveness of online impact beam plot in highlighting the most influential nephrologists.
- Supplemental Digital Files (<http://links.lww.com/MD/H174>) contain instructions for conducting this study for readers who wish to replicate it on their own.

37 variants.^[7] New variants of the h-index continue to be proposed,^[8–14] and comparisons and evaluations of bibliometric indices have been conducted.^[3,15,16]

The h-index and its variants, however, do not adequately take into account the full citation sequence of a researcher (e.g., h-index = 10 in 10 articles with the citation-sequence [100, 90, 80, 10]). It may be viewed as a disadvantage of the h-index.^[4] The total citation count (e.g., the AIF) has the disadvantage of biasing the index in favor of researchers who have very highly cited top publications (e.g., AIF = 55 in 10 articles with the citation sequence {100, 90, 80, 10}), whereas the g-index ($= \sum_{i \leq g} c_i$)^[5] weighted by the citations in the very highly cited top publications is 55 = AIF, and the x-index ($= \sqrt{\text{Max}(i \times c_i)}$) determined by the maximum area rectangle that fits under the descending citation curve of an author is 17.3 ($= \sqrt{(i \times c_i)} = \sqrt{(5 \times 60)} >$ h-index = 10).

In addition, the drawback of the x-index is greater than that of the h-index, particularly when dealing with highly cited top publications, similar to the AIF and g-index, as shown in the example above.

In the example above, if the sequence is replaced with [10, 9, ..., 1], the h-index is 5, the AIF is 5.5 ($= 55/10$), the g-index is 7, and the x-index is 5.5 ($= \sqrt{(5 \times 6)}$). There is merit in exploring whether it is possible to construct an index that is closer to and associated with the h-index than its contrasts (e.g., the g-/x-indices and the AIF) and overcomes the disadvantages of the h-index in measuring IRAs in academics.

1.2. The hT-index applied to bibliometrics

As a bibliometric index, the hT-index (also known as the Tapered h-index)^[17,18] takes into account all citations with descending weights when evaluating the IRAs and generalizes the h-index. Whether the hT-index is more closely related to the h-index than other bibliometric indices remains unclear in the past literature.

Furthermore, 2 major disadvantages^[12] of the h-index may be overcome through the use of the hT-index: all coauthors are weighted equally in contribution to the article bylines,^[19,20] and the integer nature of the h-index makes it extremely difficult to distinguish the IRA among authors.^[21] It was our intention to use the hT-index to assess author IRAs only when the first and corresponding authors are equally credited with the article.^[22,23] It is hoped that the monotonically increasing h-/hT-indices (i.e., the h-core articles are identical to those in hT-core, and the

contribution of the h-core is unchanged in the hT-core Durfee square^[17,18]) can overcome the disadvantage of the h-index (i.e., the integer nature of the h-index makes it difficult to differentiate the IRA between authors^[20]).

1.3. IRAs quantified by the first and corresponding authors using the hT-index

Bibliometric indices (e.g., h-/g-/x-indices, AIF, and hT-index) commonly do not take into account the first and corresponding authors (i.e., the Y-index^[22,23] gives equal credit to them in articles, particularly in Chinese academic communities, such as those in Mainland China, Hong Kong, and Taiwan). There is an obvious problem and unfairness in the process of hiring, promoting, and funding researchers^[24] if the author-weighted scheme is unfairly applied. To quantify author contributions in article bylines, IRAs in bibliometrics should be evaluated appropriately. Therefore, there is a need for 2 major components:

- (1) To verify the hT-index is useful and meaningful: The differences and similarities in characteristics closer to and associated with the h-index were compared between indices (i.e., hT-/h-/g-/x-indices and AIF).
- (2) To show the hT-index applicable and feasible: The hT-index was demonstrated to select the most influential nephrology authors in the fields of hemodialysis and peritoneal dialysis (HD/PD).

1.4. Publications in HD/IPD are dominated by the United States

Chronic kidney disease is a major health problem due to its high prevalence, cost of treatment, significant morbidity and mortality, and substantial impact on patients and their families.^[25] Patients with PD, for instance, manage their PD at home manually or by using a PD cycler to deliver dialysate fluid through a catheter placed in the peritoneal cavity, where the fluid remains for a period of time. In each cycle, they enter hydration metrics, including body weight, blood pressure, urine output, and ultrafiltration volume.

The use of bibliometrics and visual analysis has been applied in a number of disciplines,^[26] including anesthesiology, ophthalmology, stomatology, and obstetrics and gynecology,^[27–30] yet no bibliometric articles have been published on the authors who have contributed the most to HD/PD. Although authors from the United States were present in 30.6% of 7618 PD papers in 887 journals (6991 articles and 627 reviews)^[31] and the United States was the most productive country (n = 51) of the 100 most influential papers on peritoneal dialysis,^[32] IRAs (taking both publications and citations into account) dominated by the United States should be verified further.

1.5. Study aims

We aim to investigate whether the hT-index was more closely associated with the h-index than other indices (e.g., g-/x-indices and author impact factors), whether the United States still dominates the majority of publications concerning PD/HD, and whether there was any difference in research features between 2 prolific authors.


2. Methods

2.1. Data source


By searching the Web of Science core collection (WoSCC) with keywords involving HD/PD in titles, subject areas, and abstracts since 2011, we obtained 7702 abstracts and their corresponding

Citation

$$1.88 + 1.01 + 0.74 + 0.29 + 0.11 = 4.03$$




Citation



Panel A


Panel B

Citation



Panel C

Citation



Panel D

Figure 1. The hT-index is determined when plotting the number of citations (ci) in descending order.

metadata (e.g., citations, country of origin, research institutes, and authors placed in the first and corresponding positions). Only articles, reviews, and journal impact factors (JIFs) >0 were included in the analysis. There were a total of 2298 abstracts included in this study.

The data deposited in (Supplemental Digital Content 1, <http://links.lww.com/MD/H173>) are publicly available on the WoSCC's website. Therefore, ethical approval was not needed.

2.2. First goal: the validation of the hT-index in use

2.2.1. How to compute the hT-index. The citations denoted by a vector (e.g., {6,4,4,2,1} in descending order in 5 articles)

are illustrated using Eqs. 1 to 4, as shown in panel A of Figure 1. The hT-index equals 4.03 when multiplied by 1 to 4. In mathematical terms, the hT-index is calculated by summing all weights from the starting 1 to the following of $\frac{1}{2i-1}$ via Eq. 1, where i from 1 to n_1 .

$$hT_{(top\ 1)} = \sum_{i=1}^{n_1} \frac{1}{2i-1}, \tag{1}$$

The starting weight in the top-cited paper is determined by Eq. 2, where $j = 1$. Therefore, the resulting sum is 2.13 for ten citations, 3.28 for 100 citations, 4.44 for 1000 citations, and 5.59 for 10,000 citations.

$$\text{Weight}_{(top\ j)} = \frac{1}{2j-1}, \quad n_j \leq j, \quad (2)$$

$$h_{T(j)} = \frac{j}{2j-1} + \sum_{i=1}^{n_j} \frac{1}{2i-1}, \quad n_j > j, \quad (3)$$

The weights of ten papers with ten citations each are shown in Table 1. In papers from 1 to 10, the hT-indices monotonically increase [2.13, 3.60, 4.80, 5.83, 6.73, 7.53, 8.25, 8.89, 9.47, 10.00], suggesting that the h-core articles are identical to those in the hT-core and the contribution of the hT-core is not changed in the hT-core Durfee square.^[17,18]

A single hT score will be calculated for any paper ranked *j* in the list (with *n_j* citations), denoted as hT(*j*) in Eq. 3, if the author has *N* papers with associated citations *n*₁, *n*₂, *n*₃..., *n*_{*N*} (ranked in descending order). After summarizing all the weights (allocated in Eqs. 1–3) through Eq. 4, the hT-index for all the cited papers may be calculated.

$$hT = \sum_{j=1}^N hT_{(j)}, \quad (4)$$

Since the computation of the hT-index is essentially the same as that of the h-index represented by the Durfee square, we note that *hT* = *h* + Δ*h*, where Δ*h* is the sum of citation weights in the Ferrers tableau. As an example, the h-index is equal to the length of the Durfee square (in panel A of Fig. 1, *h* = 3 and *hT* = 4.03). The Durfee square is the 3-by-3 square denoted by a dashed line. The hT-index represents the sum of all weights in the Ferrers tableau. In Figure 1, the differences between panels B, C, and D motivate us to investigate whether the hT-index is more closely related to the h-index and more closely associated with it than its counterparts (e.g., the *g*-*x*-index and the AIF). The hT-index is computed using Microsoft Excel Visual Basic for Application, as illustrated in Figure 2 and the link.^[33]

2.2.2. Comparison of differences and similarities between indices.

2.2.2.1. Differences between indices using real data. The h-index is referenced to the absolute mean differences (AMDs) (e.g., abs (*h* – *g*), abs (*h* – *x*), abs (*h* – AIF), and abs(*h* – *hT*)) between indices in authors with *hT* > 0. The AMDs based on the standardized mean difference (SMD) were compared between indices using a forest plot.^[34]

2.2.2.2. Similarities between indices. The correlation coefficients (CCs) were used to measure the similarities between indices. The *t* value was calculated using the following formula.(= $CC \times \sqrt{\frac{n-2}{1-CC^2}}$)^[35]

2.2.2.3. Differences and similarities between indices using simulation data. The citations were generated from the Collatz sequence,^[36] which is defined as considering an iterative method over the set of positive integers *N* in a range (e.g., 1–500), and we obtain the positive integer $\frac{1}{2} \times n$ for the next step. In contrast, if *n* ∈ *N* is odd, we consider 3*n* + 1 for the next step. Thus, the Collatz conjecture states that if any positive integer is selected as the initial value for *n* ∈ *N*, eventually the number 1 will be reached.

In the Collatz sequence, the data are represented as citations based on the initial integers (i.e., from 1 to *n*, *n* = number of authors). Similar to sections 2.2.2.1 and 2.2.2.2, the forest plot^[34] and the CCs^[35] were used to compare the differences and similarities between indices.

2.3. Second goal: IRAs assessed by the hT-index

The Y-index^[22,23] was proposed to evaluate the IRAs based on the number of publications in the positions of first and corresponding authors (denoted by *J* = FP and RP). Unfortunately, previous studies have not illustrated the way in which the radar diagram can be drawn based on the Y-index (=as the radius in the first quadrant).^[22,23] The IRAs should not be measured solely by publications (e.g., the Y-index). To select the authors who contributed most to the HD/PD in this study, the hT-index must be used by taking into account both publications and citations.

A choropleth map^[37] and radar plot^[38] were used to compare the IRA across countries, research institutes, and authors in HD/PD.

2.4. Third goal: differences in research features between 2 prolific authors in comparison

From the radar plot mentioned in the previous section, the top 2 prolific authors with the highest hT-index were selected. We made 3 comparisons in IRA between the 2 authors, including publications on the IBP,^[39,40] keyword plus in WoSCC using the Sankey diagram,^[41,42] and comparisons of differences in research features on the forest plot.^[34,43,44]

2.5. Statistics and tools

A forest plot was used to compare the SMD values. The significance level for type I error was set at 0.05.

Radar diagrams, Sankey diagrams, choropleth maps, impact beam plots (IBPs), and forest plots were used to compare differences in the hT-indices and SMDs of keyword plus in WoSCC. Google Maps was used to plot both choropleth maps and radar diagrams.

Table 1

Weights allocated to the 10 articles with 10 citations each (*h_T* = 10 in this case).

Weight	Citation									
Article	1	2	3	4	5	6	7	8	9	10
1	1.00	0.33	0.20	0.14	0.11	0.09	0.08	0.07	0.06	0.05
2	0.33	0.33	0.20	0.14	0.11	0.09	0.08	0.07	0.06	0.05
3	0.20	0.20	0.20	0.14	0.11	0.09	0.08	0.07	0.06	0.05
4	0.14	0.14	0.14	0.14	0.11	0.09	0.08	0.07	0.06	0.05
5	0.11	0.11	0.11	0.11	0.11	0.09	0.08	0.07	0.06	0.05
6	0.09	0.09	0.09	0.09	0.09	0.09	0.08	0.07	0.06	0.05
7	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.07	0.06	0.05
8	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.06	0.05
9	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.05
10	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05

Downloaded from http://journals.lww.com/md-journal by BHDMSFPHKav1zEoum1QIN4a+kLLHEZgbsH04XMI0hCy WCX1AWNYQpIIQfHD3I3D000R7V7VSF14C13V/C4/OAVpDda8K2+YagH515KE= on 12/20/2023

```

The computation of ht-index interpreted with codes in Microsoft Excel VBA
(n cited articles in rows and article citations in columns from 7 to lastcol in data)
n = Sheets("data").Cells(1, 6) ' How many authors
For jk = 2 To n + 1 ' loop for authors
  bbcoll = "fdf" & jk ' How many cited articles
  lastcol = Sheets("data").Range(bbcoll).End(xlToLeft).Column
  ht = 0 ' default initial ht=0
For j = 1 To lastcol - 6 ' loop for cited articles from column=7
  ma = Sheets("data").Cells(jk, j + 6) ' the number of citations for a article
For i = 1 To ma ' loop for article weights each
  If i = 1 Then ' setting the starting weight
    ht = ht + 1 / (2 * j - 1) ' summing over the ht weight each
    firstone = 1 / (2 * j - 1) ' the strating weight
  Elseif i <= j Then ' weights in i <= j equals the firstone
    If 1 / (2 * i - 1) > firstone Then
      ht = ht + firstone ' the weight=firstone if i <= j
    Else
      ht = ht + 1 / (2 * i - 1) ' the weight as usual if i > j
    End If
  Else
    ht = ht + 1 / (2 * i - 1) ' the weight as usual if i > j
  End If
Next i
Next j
Sheets("collaz").Cells(jk, 4) = ht ' to save ht in column 4
Next jk ' VBA=visual basic for application
    
```

Figure 2. The computation of the hT-index interpreted with codes in Microsoft Excel VBA. VBA = visual basic for application.

3. Results

3.1. First goal: features of the hT-index

We evaluated 2298 nephrology authors with individual hT-indices (>0). In Figure 3, the hT-index was closer to the h-index. We observed that the AMDs in the hT-indices were lower than those in all other indices, except for the g-index in the HD/PD articles. There was an evident feature of $h \leq hT \leq x \leq g \leq AIF$ that was supportive in general. There may be fewer highly cited articles in HD/PD articles, which explains why the g-index is smaller in the real data than the hT-index.

The comparison of similarities was made using the CCs. Table 2 shows that the hT-index has higher associations with the h-index (i.e., 0.90 and 0.95 in the real and simulation data, respectively; $P < .001$, $t = 146.03$ and $203.85 = 0.95 \times \sqrt{\frac{4054-2}{1-0.95 \times 0.95}}$).

3.2. Second goal: influential countries/institutes/authors in HD/PD

The United States (37.15), China (34.63), and Japan (28.09) had the highest hT-index. Sun Yat-Sen University (Chian) earns the highest hT-index (=20.02) among research institutes. The authors with the highest hT-indices (15.64 and 14.39, respectively) are David W Johnson (Australia) and Andrew Davenport (UK).

3.3. Third goal: differences in research features between 2 prolific authors in comparison

In Figure 7, the IBP was used to compare the publications of the 2 prolific authors (n = 42 and 32 in red and black dots for Drs Davenport and Johnson, respectively). Johnson published more articles in 2015 than Davenport. The articles with the most citations are displayed on the right side of the IBP. By scanning the QR code, readers will be able to click on the dot of interest and read the article displayed on PubMed.

Figures 8 and 9 illustrate 2 types of keyword plus in WoSCC for the 2 authors: associated (both have them) and unique (one has them only). In Figure 8, the clusters were separated using social network analysis^[45-49] (see Supplemental Material, Supplemental Digital Content, <http://links.lww.com/MD/H174>). It is necessary to verify whether there are differences in proportional counts for keyword plus within articles between the 2 authors. However, the unique features of Figure 9 make it clear that Johnson research focuses on outcomes, risk, and PD as opposed to Davenport research on Mellitus, albumin, and HD. The results shown in Figure 10 indicate that there are differences in proportional counts for keyword plus only for 3 keywords (i.e., outcomes, risk, and 2015).

3.4. Online dashboards shown on Google Maps

All the QR codes in Figures are linked to the dashboards. Readers are suggested to examine the displayed dashboards on Google Maps.

4. Discussion

We observed that (a) the hT-index was closer to and associated with the h-index; (b1) the United States (37.15), China (34.63), and Japan (28.09) had the highest hT-index; (b2) Sun Yat-Sen University (Chian) earns the highest hT-index (=20.02) among research institutes; (c1) the authors with the highest hT-indices (=15.64 and 14.39, respectively) are David W Johnson (Australia) and Andrew Davenport (UK); and (c2) their research focuses on PD and HD, respectively. In this study, 3 research goals were achieved.

4.1. Additional Information

The articles published by the 2 prolific authors were doted on the dashboard-type IBP, as shown in Figure 7,^[50] in lieu of the 100 articles on PD listed in a bibliometric study.^[32] Using the IBP is unique and modern and never seen before in the literature. The impact IBP displays the author document profile in a single view and shows more context than a single metric, such as a citation metric (or the h-index), which provides us with bibliometrics.^[40,51] The author IBP dashboard using profiles, as shown in Figure 7, rather than metrics alone is thus much different




Figure 3. Comparison of differences made by observing the hT-index closer to the h-index using the forest plot for display (n = 4054).

Downloaded from <http://journals.lww.com/md-journal> by BhDMf5ePHKav1zEoum11QIN4a+kLHEZgbsIH04XMI0hCy

Table 2
Similarities using CC (n = 4054).

CC	h	g	x	hT	AIF
h		0.29	0.58	0.95	0.29
g	0.86		0.71	0.89	0.41
x	0.63	0.71		0.86	0.86
hT	0.90	0.89	0.86		0.57
AIF	0.32	0.41	0.86	0.57	

The Collatz data are in the upper triangle; the HD/PD data in the lower triangle; the h_t -index is more similar to the h-index.
 AIF = author impact factor, CC = correlation coefficient.

from the traditional publication list on the Internet, such as author bibliographies in Google Scholar.

The United States (37.15), China (34.63), and Japan (28.09) had the highest hT-index in HD/PD articles, indicating that the hT-index taking into account all publications and citations can be utilized in academics and practices, especially when used in conjunction with radar diagrams to compare authors and institutes at a glance. The results are consistent with the findings in previous studies: authors from the United States were present in 30.6% of 7618 PD papers in 887 journals (6991 articles and 627 reviews),^[31] and the United States was the most productive country (n = 51) of the 100 most influential papers on peritoneal dialysis,^[32] IRAs dominated by the United States had been verified.




Figure 4. Top 3 countries displayed on the geographical map using the hT-index (n = 7702).




Figure 5. The most prolific research institutes based on the hT-index (n = 500).




Figure 6. The most prolific authors based on the hT-index (n = 500).

Downloaded from http://journals.lww.com/md-journal by BNDMf5ePHKav1zEoum1tQIN4a+kLLhEz9bsIHo4XMI0hCY wCX1AWNvQpIIQfHD3i3D00dRy7TVSfI4C3Vc4/OAVpDDa8k2+YagH515KE= on 12/20/2023




Figure 7. Publications by the top 2 authors in comparison on an impact beam plot (n = 42 and 32, respectively).

The most cited article related to HD/PD with PMID = 21,775,973,^[52] entitled the effects of frequent nocturnal home hemodialysis: the Frequent Hemodialysis Network Nocturnal Trial, contains 109 coauthors and 146 citations. Following the interesting topic of frequent nocturnal hemodialysis compared to conventional hemodialysis 3 times a week, 87 patients were randomized to receive conventional hemodialysis 3 times a week or nocturnal hemodialysis 6 times a week using high-flux single-use devices. In the frequent nocturnal arm, 45 patients had a 1.82-fold higher mean weekly stdKt/V (urea), a 1.74-fold higher average number of treatments per week, and a 2.45-fold higher average weekly treatment time than the 42 patients in the conventional arm. As a result, this article has been cited by many authors.

4.2. Implications and changes

The study has several distinctive features. First, the hT-index with decimal places can be used in conjunction with the original

h-index to improve the discrimination power for identifying IRA characteristics and ranking within a group.^[21]

As a second feature, coauthors using the author-weighted scheme to quantify their contributions to article bylines^[19,20] were demonstrated and proved to be viable in bibliometric analysis, as we did using the radar diagram and the hT-index in Figures 5 and 6.

As a third feature, IBPs^[39,40] provide authors with an entirely new way to represent academic articles, particularly with links to PubMed. Furthermore, the way to draw the IBP on Google Maps is described in Supplemental Material (Supplemental Digital Content, <http://links.lww.com/MD/H174>).

The study also presents 3 visual representations on Google Maps, including a choropleth map based on the hT-index, a forest plot to identify the SMD in pair comparison, and a Sankey diagram showing research features in comparison between the 2 prolific authors.

The hT-index is more complex in computation than the h-index, but a dedicated software program can handle this issue. The hT-index computation has been interpreted in Table 1 and Figure 1, particularly Figure 2, which provides readers with the programming codes to understand how the hT-index is calculated within a second. Therefore, we can say that the hT-index resolves many of the problems associated with the h-index. We can easily obtain the hT-index in seconds by using computers to evaluate the author IRAs where there is no precision problem. As shown in Figures 5 and 6, the hT-index can be complemented with a coordinate, such as p(FP, RP), in the description. Therefore, it is easy to identify the author IRAs by using a dedicated software program to overcome the potential problem of computation time.

4.3. Limitations and suggestions

Further research should consider a number of issues in detail. The first concern is that only the 3 g-/x-indices/AIF were compared to the hT-index, which is closer to and associated with the h-index. It is recommended that future studies include a wider range of bibliometric metrics in comparison with the h-index.

Top two authors and their top 5 major associated keyword Plus in WoS




Figure 8. Study features of the top prolific authors with their top 5 major keyword plus in WoS. WoS = Web of Science.

Downloaded from <http://journals.lww.com/md-journal> by BHMDF5EPHKav1ZEoum1QIN4a+kLLhEZgbsIH04XMI0hCy WCX1AWNYQpIIQrHD3i3D00dRy7TVSfI4Cj3Vc4/OAVpdDa8K2+YagH515KE= on 12/20/2023

Top two authors and their top 10 major unique keyword Plus in WoS




Figure 9. Research areas of the 2 prolific authors using their unique features of keyword plus.

Second, even though the Y-index and hT-index have been considered to be fair measures of IRA contributions, it is assumed that the first and corresponding authors contribute equally to the articles. The results regarding the authors who contributed the most to HD/PD fields will be biased if authorship does not follow the rule as designed.

Third, calculating the hT-index based on the summation of weights in the Ferrers tableau (that is, all cited papers in the list) requires some time. With the advancement in hardware, the time-consuming task has become trivial, comparable to

computing h-/x-/g-indices and AIF using a dedicated software program, as shown in the reference.^[33]

Fourth, the hT-index based on author citations was proposed in this study; however, the IRA is determined by many other factors (e.g., the JIF) that should be considered when calculating the hT-index (e.g., using the JIF to replace the citations in computing the hT-index).

Fifth, Figure 4 compares only countries/regions with higher hT-indices. Readers may also be interested in the countries and regions with the Y-index shown on the radar plots. A future




Figure 10. Comparison of proportional counts in major keyword plus between the 2 prolific authors.

Downloaded from http://journals.lww.com/md-journal by BNDM5ePHKav1zEoum1QIN4akLHEZgbsH04XMI0hCy wCX1AWnYQpIIQrHD3i3D00dRy7TVSFI4C3VCA/OAVpdDa8k2+YagH515KE= on 12/20/2023

study should include this type of influential country/region using the radar plot for display.

Finally, although the hT-index is considered useful and applicable, it should be used with caution when comparing the difference between groups, as it does not always follow a normal distribution. Readers were recommended to use the bootstrapping method^[53–55] when comparing IRAs between groups, particularly with 95% confidence intervals.

5. Conclusion

Using the radar plot with the hT-index based on the number of publications in first and corresponding authors, it was shown that the hT-index generalized the h-index for evaluating author IRAs from both quality and quantity perspectives. In future relevant bibliometric analyses of academic disciplines or specific research topics, the hT-index and the IBP should be considered, rather than just the HD/PD, as we did in this study.

Author contributions

HY and WCK provided the concept and designed this study, CY and WCK interpreted the data, and WC monitored the process and the manuscript. TW and HY drafted the manuscript. All authors read the manuscript and approved the final manuscript.

Acknowledgments

We thank Enago (www.enago.tw) for the English language review of this manuscript.

References

- [1] Sahel JA. Quality versus quantity: assessing individual research performance. *Sci Transl Med*. 2011;3:84 cm13.
- [2] Hausken K. The ranking of researchers by publications and citations: using RePEc data. *J Econ Bibliography*. 2016;3:530–58.
- [3] Hirsch JE. An index to quantify an individual's scientific research output. *Proc Natl Acad Sci USA*. 2005;102:16569–72.
- [4] Fenner T, Harris M, Levene M, et al. A novel bibliometric index with a simple geometric interpretation. *PLoS One*. 2018;13:e0200098.
- [5] Egghe L. Theory and practice of the g-index. *Scientometrics*. 2006;69:131–52.
- [6] Egghe L. The Hirsch-index and related impact measures. *Annual Rev Information Sci Technol (ARIST)*. 2010;44:65–114.
- [7] Bornmann L, Mutz R, Hug SE, et al. A multilevel meta-analysis of studies reporting correlations between the h-index and 37 different h-index variants. *J Informetrics*. 2011;5:346–59.
- [8] Crispo EA. New index to use in conjunction with the h-index to account for an author's relative contribution to publications with high impact. *J Am Soc Inf Sci Technol*. 2015;66:2381–3.
- [9] Gao C, Wang Z, Li X, et al. PR-Index: using the h-Index and PageRank for determining true impact. *PLoS One*. 2016;11:e0161755.
- [10] Mahbuba D, Rousseau R. Year-based h-type indicators. *Scientometrics*. 2013;96:785–97.
- [11] Schreiber M. A variant of the h-index to measure recent performance. *J Am Soc Inf Sci Technol*. 2015;66:2373–80.
- [12] Yeh YT, Chien TW, Kan WC, et al. The use of the hx-index to compare research achievements for ophthalmology authors in Mainland China, Hong Kong, and Taiwan since 2010. *Medicine (Baltimore)*. 2021;100:e24868.
- [13] Zhang CT. The e-index complements the h-index for excess citations. The e-index complements the h-index for excess citations. *PLoS One*. 2009;4:e5429.
- [14] Zhang CT. The h'-Index effectively improves the h-Index based on the citation distribution. *PLoS One*. 2013;8:e59912.
- [15] Raheel M, Ayaz S, Afzal MT. Evaluation of h-index, its variants and extensions based on publication age & citation intensity in civil engineering. *Scientometrics*. 2018;114:1107–27.
- [16] Wildgaard L, Schneider JW, Larsen B. A review of the characteristics of 108 author-level bibliometric indicators. *Scientometrics*. 2014;101:125–58.

- [17] Anderson TR, Hankin RKS, Killworth PD. Beyond the Durfee square: enhancing the h-index to score total publication output. *Scientometrics*. 2008;76:577–88.
- [18] Hua PH, Wan JK, Wu JH. A perfect Hirsch-type index? Experiences using the tapered h-index (hT). *Chin J Sci Tech Periodicals*. 2010;21:33–7.
- [19] Vavryčuk V. Fair ranking of researchers and research teams. *PLoS One*. 2018;13:e0195509.
- [20] Sekercioglu CH. Quantifying coauthor contributions. *Science*. 2008;322:371.
- [21] Huang MH, Chi PS. A comparative analysis of the application of h-index, g-index, and a-index in institutional-level research evaluation. *J Library Inform Stud*. 2010;8:1–10.
- [22] Ho YS. Top-cited articles in chemical engineering in science citation index expanded: a bibliometric analysis. *Chin J Chem Eng*. 2012;20:478–88.
- [23] Ho Y. A bibliometric analysis of highly cited articles in materials science. *Current Sci*. 2014;107:1565–72.
- [24] Koltun V, Hafner D. The h-index is no longer an effective correlate of scientific reputation. *PLoS One*. 2021;16:e0253397.
- [25] Lukkanalikitkul E, Kongpetch S, Chotmongkol W, et al. Optimization of the chronic kidney disease-peritoneal dialysis app to improve care for patients on peritoneal dialysis in Northeast Thailand: user-centered design study. *JMIR Form Res* 2022;6:e37291.
- [26] Li W, Xia Z, Wang Y. A Bibliometric analysis of publications on ferritinophagy from 2014 to 2021. *Front Biosci (Landmark Ed)* 2022;27:193.
- [27] Lee S. Annual report of the productivity and bibliometrics of the Korean Journal of Anesthesiology. *Korean J Anesthesiol*. 2021;74:1–3.
- [28] Ichhpujani P, Kalra G, Kaur R, et al. COVID-19 and ophthalmology: a scientometric analysis. *Indian J Ophthalmol*. 2021;69:1234–40.
- [29] Ahmad P, Slots J. A bibliometric analysis of periodontology. *Periodontology 2000* 2021;85:237–40.
- [30] Brandt JS, Hadaya O, Schuster M, et al. A bibliometric analysis of top-cited journal articles in obstetrics and gynecology. *JAMA Network Open*. 2019;2:e1918007.
- [31] Chen TW, Chou LF, Chen TJ. World trend of peritoneal dialysis publications. *Perit Dial Int*. 2007;27:173–8.
- [32] Yuan X, Li H, Zhou L, et al. A bibliometric analysis of the 100 most influential papers on peritoneal dialysis. *Medicine (Baltimore)*. 2020;99:e23115.
- [33] Chien TW. How to compute the hT-index online. Available at <http://www.healthup.org.tw/kpial/htindexurl.asp> [access date July 20, 2022].
- [34] Yan YH, Chien TW. The use of forest plot to identify article similarity and differences in characteristics between journals using medical subject headings terms: a protocol for bibliometric study. *Medicine (Baltimore)*. 2021;100:e24610.
- [35] Yang TY, Chen CH, Chien TW, et al. Predicting the number of article citations on the topic of pemphigus vulgaris with the 100 top-cited articles since 2011: a protocol for systematic review and meta-analysis. *Medicine (Baltimore)*. 2021;100:e26806.
- [36] Machado JAT, Galhano A, Cao Labora D. A clustering perspective of the Collatz conjecture. *Mathematics*. 2021;9:314.
- [37] Chien TW, Wang HY, Hsu CF, et al. Choropleth map legend design for visualizing the most influential areas in article citation disparities: a bibliometric study. *Medicine (Baltimore)*. 2019;98:e17527.
- [38] Castagna C, Consorti G, Turinetti M, et al. Osteopathic models integration radar plot: a proposed framework for osteopathic diagnostic clinical reasoning. *J Chiropr Humanit* 2021;28:49–59.
- [39] WOS. Author impact beam plots in Web of Science Author Records. Available at: <https://videos.webofsciencegroup.com/watch/6JXtEx-i8hRiTGJH5yGi6Vm> [access date February 4, 2022].
- [40] Szomszor, M. The Web of Science Author Impact Beamplots: a new tool for responsible research evaluation. Available at: <https://clarivate.com/blog/the-web-of-science-author-impact-beamplots-a-new-tool-for-responsible-research-evaluation/> [access date January 14, 2022].
- [41] Liu PC, Lu Y, Lin HH, et al. Classification and citation analysis of the 100 top-cited articles on adult spinal deformity since 2011: a bibliometric analysis. *J Chin Med Assoc*. 2022;85:401–8.
- [42] Kuo YC, Chien TW, Kuo SC, et al. Predicting article citations using data of 100 top-cited publications in the journal *Medicine* since 2011: a bibliometric analysis. *Medicine (Baltimore)*. 2020;99:e22885.
- [43] Wu JW, Chien TW, Tsai YC, et al. Using the forest plot to compare citation achievements in bibliographic and meta-analysis studies since 2011 using data on PubMed Central: a retrospective study. *Medicine (Baltimore)*. 2022;101:e29213.

- [44] Wang LY, Chien TW, Lin JK, et al. Vaccination associated with gross domestic product and fewer deaths in countries and regions: a verification study. *Medicine (Baltimore)*. 2022;101:e28619.
- [45] Yie KY, Chien TW, Yeh YT, Chou W, Su SB. Using social network analysis to identify spatiotemporal spread patterns of COVID-19 around the world: online dashboard development. *Int J Environ Res Public Health*. 2021;18:2461.
- [46] Chou PH, Yeh YT, Kan WC, Chien TW, Kuo SC. Using Kano diagrams to display the most cited article types, affiliated countries, authors and MeSH terms on spinal surgery in recent 12 years. *Eur J Med Res*. 2021;26:22.
- [47] Liu MY, Chou W, Chien TW, et al. Evaluating the research domain and achievement for a productive researcher who published 114 sole-author articles: a bibliometric analysis. *Medicine (Baltimore)*. 2020;99:e20334.
- [48] Chien TW, Chang Y, Wang HY. Understanding the productive author who published papers in medicine using National Health Insurance Database: a systematic review and meta-analysis. *Medicine (Baltimore)*. 2018;97:e9967.
- [49] Chien TW, Chow JC, Chang Y, et al. Applying Gini coefficient to evaluate the author research domains associated with the ordering of author names: a bibliometric study. *Medicine (Baltimore)*. 2018;97:e12418.
- [50] Chien TW. Figure 7 in this study. Available at: <http://www.healthup.org.tw/gps/jgeriatrics22radarIBP.htm> [access date January 22, 2022].
- [51] Clarivate. New WOS February 25 release notes. Available at: <https://clarivate.com/webofsciencegroup/release-notes/wos/new-wos-February-25-release-notes/> [access date January 14, 2022].
- [52] Rocco MV, Lockridge RS Jr, Beck GJ, et al. The effects of frequent nocturnal home hemodialysis: the Frequent Hemodialysis Network Nocturnal Trial. *Kidney Int*. 2011;80:1080–91.
- [53] Efron B. Bootstrap methods: another look at the jackknife. *Ann Stat*. 1979;7:1–26.
- [54] Kung SC, Chien TW, Yeh YT, et al. Using the bootstrapping method to verify whether hospital physicians have different h-indices regarding individual research achievement: a bibliometric analysis. *Medicine (Baltimore)*. 2020;99:e21552.
- [55] Kuo SC, Yeh YT, Kan WC, et al. The use of bootstrapping method to compare research achievements for ophthalmology authors in the US since. *Scientometrics*. 2020;126:509–20.